

Doka skeleton transport box 1.70x0.80m

Art. n° 583012000

1999 models onward




Basic drawings of product

Product description

The Doka skeleton transport box 1.70x0.80m is a transport and storage unit that is suitable for small items only.



- Doka accepts no liability for products that have been altered!
- Repairs may only be carried out by the manufacturer!



- a ... 1710 mm
- b ... 1132 mm
- c ... 800 mm
- d ... 100 mm

Data on rating plate


Doka Industrie GmbH, A-3300 Amstetten
 Designation: Doka skeleton transport box 1.70x0.80m
 Art. n°: 583012000
 Dead weight: 87.0 kg (191.8 lbs)
 Max. load: 700 kg (1540 lbs)
 Permitted imposed load: 3150 kg (6950 lbs)
 Year of manufacture: see rating plate

Before every use

- ▶ Check for any signs of damage or visible deformation.



- Damaged or deformed multi-trip packaging that does not meet the following criteria must be withdrawn from use immediately.
 - Crack-free and notch-free welds
 - No deformation
 - Rating plate must be in place and clearly legible
 - No deformed or damaged uprights. If any of these are bent, you must measure and verify the external dimensions. The measuring points are directly underneath the stacking guideplates, on the outsides of the uprights.




	Nom.	Min.	Max.
a	1610	1600	1620
b	750	740	760

A Stacking guideplates

B Rating plate

C Upright

Loading the transport box



- ▶ Lift the hinged flap **(A)** out of the clips and tilt it downwards.
- ▶ Load the skeleton transport box as far as the bottom **(B)** of the hinged flap - i.e. the bottom half of the box.
- ▶ Tilt the hinged flap back up and slot it back into the two clips **(C)**.
- ▶ Finish loading the skeleton transport box (i.e. the top half of the box).



- Make sure the hinged flap is correctly slotted into place!

Using the Doka skeleton transport box 1.70x0.80m as a storage unit



- **Stacking on the site (outdoors):** Floor gradients of up to 3%: Max. 2 Doka skeleton transport boxes 1.70x0.80m permitted on top of one another. Empty boxes must not be stacked on top of one another!
- **Stacking in the warehouse:** Floor gradients of up to 1%: Max. 5 Doka skeleton transport boxes 1.70x0.80m permitted on top of one another.
- When **storing** filled stacking pallets, make sure that they are standing **stably** on the ground, and are **stacked correctly**.

Using the Doka skeleton transport box 1.70x0.80m as a transport device


Lifting by crane



- ▶ Only lift the Doka skeleton transport box 1.70x0.80m if its hinged flap is correctly slotted into place!



- Only one Doka skeleton transport box 1.70x0.80m may be lifted at a time.
- Use a suitable lifting chain. (Do not exceed the permitted load capacity). E.g: Doka 4-part chain 3.20m Art.n° 588620000.
- Spread-angle β max. 30°!



9234-200-01

Repositioning by forklift truck or pallet stacking truck



- ▶ Make sure the item to be lifted is in the correct centre-of-gravity position and is safe against tipping over!

© by Doka Industrie GmbH, A-3300 Amstetten